

Oakland



Designer: CENTRO STUDIO NICOLETTIHOME

Structure: pinewood, multilayer and plywood covered with polyurethane foam.

Spring system: elastic webbing **Seat Padding:** seat cushion in ecological

polyurethane foam, covered with 100% polyester padding

Back Padding: backrest cushion and headrest in synthetic fiber filling. **Arm**

Interior: ecological polyurethane foam covered with 100% polyester padding

Removability: not available

Sewing: Cuts and sewing on leather covers differ from cuts and sewing on microfiber (or fabric) covers.

Mechanisms:

Versions **'ELECTRIC RECLINER'** available with a metal mechanism and electrically motorized movement of the backrest and seat, operated via control panel (PUL M3).

Versions **'ELECTRIC RECLINER WITH ELECTRIC HEADREST'** available with a metal mechanism and electrically motorized movement of the backrest, seat, and headrest, operated via the control panel (PUL M4).

Versions **'ELECTRIC RECLINER COMFORT'** available with a metal mechanism and electrically motorized movement of the backrest, seat, headrest, and lumbar support, operated via the control panel (PUL M5). The depth of the open recliner is 157 cm.

Components: an integrated push-button control, available on all versions with an electric mechanism and located on the side of the armrest, allows for easy adjustment of the backrest, seat, lumbar support, or headrest to find the most comfortable position. The sofa is equipped with a USB-C port for connecting and charging electronic devices. The reset button (not available on ELECTRIC RECLINER versions) simplifies returning to the initial position.

Standard feet: black PVC, 4 cm high. **Please note:** model available only in

thin elastic leathers, fabric, or microfiber.

Density of seat and back kg/cbm (±5%) (1)

Markets	Seat	Back
I	30 Medium HR	
D - NL - CH		
USA - California		
GB	37+molle fire retardant	
Others	30 Medium HR	

(1) Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFETY INFORMATION TECHNIQUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

Coverings

	suggested	not suggested	not possible
thick leathers			<input type="checkbox"/>
thin elastic leathers	<input type="checkbox"/>		
natural leathers			<input type="checkbox"/>
fabric	<input type="checkbox"/>		
microfibre	<input type="checkbox"/>		
leather + split			<input type="checkbox"/>
DeLuxe*			<input type="checkbox"/>
multi colour**			<input type="checkbox"/>
multi-category**			<input type="checkbox"/>
multi covering**			<input type="checkbox"/>

*Please note: for not removable models, only one colour fabric covers are available.

*Deluxe, Fabrics and microfibers are not available for the U.K. -USA/CA -IE market.



PUL M3

PUL M4

PUL M5

We reserve the right to amend materials, covers and product dimensions shown on the data sheet, for production purposes and without prior notice. The line drawings, graphic information, dimensions, and volume provided are approximate and may vary due to the tolerances allowed in the production process with a view to improvements. The following maximum load values are recommended under normal use: armchairs max. 120 kg, 2-seater sofas max. 200 kg (2x100 kg), 3-seater sofas max. 240 kg (3x80 kg). Exceeding the recommended load may cause a structural failure of the sofa/armchair or its components.






Feet



PVC H4

Oakland

L Length - H Height - D Depth - SH Seat Height - SD Seat Depth
Dimensions refer to maximum sizes of the version with closed mechanism (where available).



dimensions

L 98/39"
H101/40" D100/39"
SH46/18" SD52/20"

L 156/61"
H101/40" D100/39"
SH46/18" SD52/20"

version code

100

161

DZ9

DZ8

200

Description


chair

chair with
elec.recl.

el.hdrst
el.recl.chair

comfort
el.rec.chair

2 seater



L 198/78"
H101/40" D100/39"
SH46/18" SD52/20"

L 58/23"
H101/40" D100/39"
SH46/18" SD52/20"

L 78/31"
H101/40" D100/39"
SH46/18" SD52/20"

300

130

120

110

174

173

3 seater




chair without
armr.

1 left arm facing
chair

1 right arm
facing chair

elec.rec.chair
1arm laf

elec.rec.chair
1arm raf



L 78/31"
H101/40" D100/39"
SH46/18" SD52/20"

L 79/31"
H101/40" D100/39"
SH46/18" SD52/20"

L 99/39"
H101/40" D100/39"
SH46/18" SD52/20"

DZ7

DZ6

DZ3

DZ2

144

124

el.hdrst el.r.lhf
chr






el.hdrst el.r.rhf
chr

comfort el.rec.lhf
chr

comfort el.rec.rhf
chr

maxi chair no
arm

lhf maxi chair



L 99/39"
H101/40" D100/39"
SH46/18" SD52/20"

114

613

612

DZ5

DZ4

DZ1

rhf maxi chair

1laf maxi chair
rec.el

1raf maxi chair
rec.el



el.hdr el.r.lf max
chr

el.hdr el.r.rf max
chr

comf.el.r.lhf maxi
chr

Oakland

L Length - H Height - D Depth - SH Seat Height - SD Seat Depth
Dimensions refer to maximum sizes of the version with closed mechanism (where available).



dimensions

L 99/39"
H101/40" D100/39"
SH46/18" SD52/20"

version code

DZ0

Description

comf.el.r.rhf maxi
chr